

L & T X-Ray Shelving System



tennsco
SYSTEMS FOR SUCCESS



Sleek, Attractive Appearance

No exposed holes on uprights.

Long-Lasting Finish

Baked-on enamel finish will last for years.

Optional Bin Dividers

Handy dividers form separate compartments to keep X-ray files upright and organized.

Strong Steel Returns

Steel returns on backstop increase rigidity to handle the extra load from heavy X-ray files.

Extra High Dividers

12"H x 15½"D dividers, adjustable on 2" increments, help keep X-ray folders standing in an upright position.

Heavy Duty Shelf Supports

1¼" high profile comes in either 14 or 11 gauge steel. Combination of supports and reinforcements provides a super strong framework handling shelf loads up to 1,000 lbs.

Contemporary Styling

Shelf covers shelf supports for a clean contemporary look.

Easy, Flexible Assembly

Shelf supports snap without tools into keyhole slots on uprights. Adjustable in 1½" increments for optimum versatility.

Sturdy Shelves

18 gauge steel shelves have double-bend flanges on all sides. Additional bends provide extra reinforcement.

Numerous Shelving Options

Shelves are available with optional holes or slots to accommodate bin dividers or adjustable dividers respectively. Three widths and four depths are standard.

Added Support

Back stop snaps into keyhole slots on uprights with shoulder rivets (rather than simple lances) for added stability in handling heavy X-ray files.

Mezzanine Support

Rigid framework is designed to support mezzanine systems.

Connects to Mobile Track

Optional single rivet shelf supports are pre-punched to attach to mobile carriages or secure to floor.

Anchoring Capabilities


Return on bottom of upright allows shelving unit to be anchored securely to the floor.

X-Ray Shelf Filing

L & T X-Ray Shelving handles the special filing requirements of X-rays in medical centers and hospitals. Its heavy duty construction means shelving doesn't sway, even in seismic prone areas. Unlike less substantial shelving, L & T X-Ray Shelving easily handles the load of full size X-rays without deflection. You'll also appreciate its contemporary look allowing it to be installed with pride anywhere in your healthcare environment.

Strength and Versatility

Heavy gauge shelf supports and front to back reinforcements provide a rigid framework that handles up to 1,000 pounds. This framework, combined with 18 gauge shelves, eliminates sagging and buckling common with other shelving. Add the ability to adjust shelves in 1½" increments and you have a winning combination.




Easy and Organized Access

Extra large dividers, adjustable in 2" increments, keep X-rays upright making access easy while protecting them from damage. Optional bin dividers can be used to create full height compartments.




Attractive Appearance

Tennsco's L & T double wall post construction conceals keyhole slots, while the overbend design of the shelf lip hides shelf supports to present a clean, attractive appearance appropriate in any medical or hospital environment. Lack of nuts, bolts or sway braces provides obstacle-free access.



L & T X-Ray Shelving Accessories



Reference Shelf
Provides a convenient pull-out work space anywhere. Reduces filing space by 1".



Bottom Shelf Support
Provides added storage space and allows the bottom shelf to fit flush with the floor.




Heavy Shelf Reinforcement
Adds support to deeper shelves. Spans shelf supports from front to back. Made of 13 gauge steel.



Front Base
Prevents items from rolling under shelving and gives a finished look. Available in 2⁵/₈" or 3" heights.



Bin Partitions
Bin dividers front and center stop or backstop combine to make compartments that keep X-rays upright.



Adjustable Shelf Dividers
Extra large 12" tall dividers keep X-rays upright. Adjusts in 2" increments on slotted shelves.



Unslotted Center Divider
Keeps X-ray files from mixing on double entry shelves.



Back
Provides a finished look. Backs come with top and bottom stiffeners. No fasteners are required.




Sliding Single Door Assembly
Single sliding door offers lockable security* for 36", 42" & 48" wide cabinets.



Sliding Double Door Assembly
Smooth sliding doors offer lockable security* for two 36" wide units. Allows access without intruding into aisle ways.



Hinged Door Assembly
Converts 36", 42" and 48" wide closed units into a dust free and secure* cabinet.



Rollup Door Assembly
Metallic Silver locking tambour door secures* 36", 42" and 48" wide units. Perfect for all medical environments.



Decorative End Panels
Light oak grained laminates or fabric wrapped end panels will match any decor.



Aisle Ties & Wall Ties
Aisle ties add stability to units or ranges by connecting them across the aisle. Wall ties secure units to the wall.

*Meets HIPAA (Health Insurance Portability and Accountability Act of 1996) healthcare privacy regulations for safeguarding personal health information.



All Tennsco L&T Shelving is painted with a tough, long lasting enamel finish to ensure years of lasting beauty. Choose from three standard finishes.



Sand



Light Grey



Black

Finishes shown above are only representative of the actual finishes. If greater accuracy is required contact your local Tennsco dealer for additional information.

A WORD ABOUT TENNSCO

Tennsco Corp., headquartered in Dickson, Tennessee, began operations in 1962. Today, Tennsco is an industry leader with over 1.4 million square feet of manufacturing and warehouse space in six facilities. Tennsco offers a wide variety of filing and storage systems, steel office furniture, industrial and institutional shelving, lockers and shop equipment.

For additional information on other Tennsco products, contact:

X-Ray files shown on front cover courtesy of Kardex, Inc.

tennsco

SYSTEMS FOR SUCCESS

Mailing Address:

P.O. Box 1888
Dickson, TN 37056-1888

Shipping Address:

201 Tennsco Drive
Dickson, TN 37055

Toll Free Customer Service: (866) 446-8686 • Fax (866) 445-7260

Toll Free Ordering: (866) 864-4796

(615) 446-8000 • (800) 251-8184 • Fax (800) 722-0134

www.tennsco.com • info@tennsco.com