

## Z-Line Record Archive Shelving

RETAIN INSTRUCTIONS FOR FUTURE REFERENCE

---



### GENERAL SAFETY INFORMATION

Some parts may have sharp edges. CARE must be taken when handling various pieces to avoid injury. For safety, wear a pair of work gloves when assembling or performing any maintenance on units.

---

### LIMITED WARRANTY

Tennsco warrants goods purchased hereunder to be free of defects in materials and workmanship for a period of one (1) year from the date of shipment, hereunder. This warranty shall not apply in the event goods are damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by Seller, where goods are damaged during shipment, or where the date stamps on the goods have been defaced, modified or removed. UNLESS CONSIDERED UNENFORCEABLE OR UNLAWFUL UNDER APPLICABLE LAW:

- a. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED:
- b. BUYERS REMEDY, IF ANY, FOR ANY DEFECTIVE GOODS SHALL BE LIMITED TO A REFUND BY SELLER OR REPLACEMENT OF THE GOODS AT SELLER'S OPTION, AND SHALL IN NO EVENT INCLUDE DAMAGES OF ANY KIND, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE.

NO GOODS ACCEPTED FOR RETURN WITHOUT PRIOR APPROVAL. Seller shall have the right to inspect any goods claimed to be defective at Buyers place of business or require Buyer to return the goods to Seller for inspection on Seller's premises. Transportation charges covering returned goods will be borne by Seller only if such goods are proven to be defective, are covered by this warranty and are returned within the warranty period stated above.

---



**PROUDLY MADE IN THE U.S.A.**


Tennsco LLC., Dickson, TN 37056-1888 • (866) 446-8686

# ASSEMBLY OF ARCHIVE SHELVING

**Tools Needed:** A rubber mallet for seating the shelf supports into the uprights.


Two people are recommended for assembly. Approximate assembly time: 20-30 minutes per section.

1. The reference numbers used throughout this sheet refer to the illustration on the back cover. This is to help you to identify the various parts as they are mentioned.
2. Depending upon whether you ordered a single unit or an adder unit, you may have one or both of the styles of upright shown. A single unit will use EUR posts for all four uprights, as show below in Figure A. If you plan on installing an adder unit, you should build your starter unit with two ZTP posts on one end which will join with the adder as shown in Figure B.




3. With the help from an associate, or using a wall for support, connect two EUR uprights (Ref. No. 1) using two front-to-back supports (Ref. No. 3), one at the top and one near the bottom (leaving the bottom-most keyhole slot empty). Be sure the front-to-back supports are fully seated in the keyhole slots as shown.

**NOTE: The uprights must be positioned so that the narrow part of the slots is toward the floor, as shown.**




4. Repeat the instructions in step 3 to construct a second set of unit ends.




**NOTE: If you are planning to install an adder unit, this second set of uprights should consist of ZTP uprights (Ref. No. 2) so that adjacent sections can be tied together. Carefully review step 2 and step 9 to better understand.**

5. With the help of an associate, connect the two unit ends with left-to-right shelf supports (Ref. No. 4). Again, be sure that the flat surface of the shelf support is facing up, and that the shelf supports are fully seated, as was illustrated in step 3.




6. Attach the remaining shelf supports at the desired shelf levels, making sure that all shelf supports are completely seated in the upright slots.




**NOTE:** For archive storage boxes to fit stacked two high per level, there should be a minimum of 16 holes between shelf supports. We recommend placing the bottom shelf support rivet in the 2nd, 19th, 37th, and 55th holes on 84" high units (as shown) and in the 2nd, 20th, and 39th holes on 60" units.


7. Shelf deck supports (Ref. No. 5) are necessary for 30" deep units only. Attach shelf deck supports by inserting the metal prongs on the deck support into the slots on the shelf supports. 69" x 30" units require two shelf deck supports per level (as shown); 42" x 30" units require only one shelf deck support per level, place in the center.




8. If particle board decking (Ref. No. 6) was ordered, place the decking on each shelving level. The decking should fit flush inside the shelf supports. If you have purchased a single unit, your shelving unit is now complete. For adder units, see step 9.



9. If joining more than one unit together, your original unit should have been assembled with ZTP uprights on one end, as described in step 4. Simply continue adding shelf supports and uprights to complete your additional units.



# REPLACEMENT PARTS



REF. NO.	DESCRIPTION	PART NO.	QTY. 60" HIGH				QTY. 84" HIGH			
			42w x 15d	42w x 30d	69w x 15d	69w x 30d	42w x 15d	42w x 30d	69w x 15d	69w x 30d
1	Angle Post (single or starter units only)	EUR-60	4	4	4	4				
	OR	EUR-84					4	4	4	4
2	"T" Post (adder units only)	ZTP-60	2	2	2	2				
	OR	ZTP-84					2	2	2	2
3	Front-to-Back End Support	VDRS-1516	6		6		8		8	
	OR	VDRS-3016		6		6		8		8
4	Left-to-Right Shelf Support	VDRS-4216	6	6			8	8		
	OR	VDRS-6914			6	6			8	8
5	Shelf Deck Support	FBSV-30		3		6		4		8
6	Optional Particleboard Decking	PB-4215	3				4			
	OR	PB-4230		3				4		
	OR	PB-6915			3				4	
	OR	PB-6930				3				4

NOTE: Additional hardware may be included for replacement purposes.

Tennsco makes every effort to ensure that all units ship complete with all parts and arrive undamaged. However, should your unit contain missing or damaged parts, please contact your purchase location.