

# **Shelving Solutions**





# **Available Products**

### **Z-Line**









**Boltless rivet shelving.** Easy assembly. Access all four sides. Most versatile option.

### **Die Rack**



Heavy duty boltless rivet with steel shelving. Very high load capacity.

### **Bulk Storage**





Beam and upright system. Highest capacity. Widest span. Welded uprights. Boltless.

# **Available Products**

### **Q-Line**





**Industrial clip shelving.** Smooth steel shelf. Open and closed styles. Most economical option.

L&T



**Capstone** 



Designed for quick installation and reconfiguration.

Versatile, low-cost storage solution. Highly customizable.

Boltless shelving with steel shelves.

Multipurpose shelving. Great for office and warehouse use.

**ESP** 



HAMMET MALL
LOSY PAR

TO 1 PARSON DE CAMPAN

#### Durable packaged shelving.

Economical storage option.

#### Stur-D-Stor (TM



#### Complete unit ships in one box.

Vertical or horizontal configuration. Quick assembly.

#### Regal



#### Clean and professional appearance.

Snap-together assembly. Wood grain laminate shelves.



### **Z-Line**

### **Z-Line: Boltless Rivet Shelving**



**Easy Assembly**Tapered keyhole slots
and snap-in rivet design
makes installation easy.

- 2 Unobstructed Access
  - No side or back braces allows access to stored items from all sides.
- 3 Structural Integrity
  Shelf supports incorporate double rivet
  connection to intermediate "T" posts
  making a rigid shelving framework.
- 4 Flexible Design
  Shelves adjust in 1 1/2" increments.
- 5 Locater Keyhole Slot
  Locater slot makes positioning shelves easy.
- 6 Great for Tall Ceilings
  Upright posts available in heights of up to 16'.
- 7 Added Reinforcement
  Center supports reinforce deep shelves.
- 8 Variety of Shelf Options
  Industrial grade 5/8" thick particleboard,
  solid steel or 2" x 4" grid-pattern wire decking.
- 9 **Durable Finish**Painted with a tough, long lasting epoxy finish.





Low Profile Capacity: Up to 800 lbs. per shelf, evenly distributed



Medium Profile Capacity: Up to 1,000 lbs. per shelf, evenly distributed



Heavy Duty
Capacity: Up to 2,250 lbs.
per shelf, evenly distributed



Extra Heavy Duty Capacity: Up to 2,500 lbs. per shelf, evenly distributed


**Available Colors** 






# **Z-Line Options**

### **Support Options**




#### **Light Duty Supports**

Specially designed 1 1/8" high shelf supports provide greater openings, allowing for extra vertical space.




**Heavy Duty Supports** 

2 <sup>3</sup>/4" high steel beam provides a heavy-duty load capacity.



#### **Medium Duty Supports**

2 1/4" shelf supports are engineered to allow for decking to be seated on shelf supports, providing extra storage space.



**Extra Heavy Duty Supports** 


3 <sup>1</sup>/4" high steel channel beam provides maximum strength for widths of up to 96".

## **Decking Choices**



**Particleboard** 

Industrial grade 5/8" particleboard decking provides a sturdy work surface that is both strong and economical.



Wire

Select wire decking for better visibility of items. Meets Factory Mutual fire codes.



**Solid Steel** 

Ideal for applications with excessive humidity or specific fire codes.



**Perforated Steel** 


Ideal for applications with excessive humidity and higher visability.






# **Z-Line Options**

## **Post Options**



Select SUR posts for heavy weight applications.



Select EUR for light or medium weight applications.



Select intermediate ZTP posts when connecting shelving units.

### Accessories



**Foot Plates** are used to secure shelving unit(s) to the floor.



**End Caps/Feet** offer protection from sharp edges. Choose from soft pliable vinyl caps or rigid nylon caps.



**Caster Mounts** available as swivel with brakes or fixed casters. (Available on select sizes)



**Hang Rods** allow for storage of clothing or other items.

## Additional Shelving Configurations



Sloped-Style



**Tire Rack** 



**Archive Storage** 



### **Z-Line**

### Tool & Die Rack

1 Heavy Load Capacities

Shelves offer load capacities of up to 4,000 lbs. per shelf and 13,000 lbs. per shelving unit.

2 Superior Strength



Unique combination of shelf supports with cross beam supports creates a super-reinforced unit.

3 Intelligent Design

Engineered to prevent deformities, even under the heaviest loads.

4 Highly Configurable

Extra shelves and heights available, providing a customizable heavy-duty shelving option.

**5** Heavy Gauge Steel

16-gauge steel shelves with a 14-gauge support framework make this unit perfect for heavy materials.

6 Braceless Construction

Easy access to stored materials from all sides.

**7** Smooth Steel Surface

Makes placing and manuevering items on the steel shelf easy.

8 Wide Range of Shelf Sizes

Sizes from 36"w x 18"d to 96"w x 36"d.

Durable Finish

Painted with a tough, long lasting epoxy finish.





48" Wide
Capacity: Up to 4,000 lbs.
per shelf, evenly distributed



60" Wide Capacity: Up to 3,250 lbs. per shelf, evenly distributed



72" Wide Capacity: Up to 2,750 lbs. per shelf, evenly distributed



96" Wide Capacity: Up to 2,600 lbs. per shelf, evenly distributed

**Available Color** 







## **Q-Line**

### Q-Line: Industrial Clip Shelving

1 Strong Shelves

Shelf corners are fully lapped and welded for extra strength, allowing for support of up to 1,000 lbs per shelf, evenly distributed.

**2** Easily Adjustable

Shelves can be adjusted quickly and easily in 1" increments to make maximum use of vertical space.

**3** Three Post Options

Offset Angle for stand-alone units.

Standard Beaded for long runs of shelving.

Heavy Beaded for long runs of shelving with heavier loads.

4 Shelf Clips

13-Gauge compression clips make adding shelves simple.

**5** Locater Slot

Specially designed square locater slots allow for easy adjustability.

6 Easily Expand a Row of Shelving

Shared posts simplify connecting shelving units.

Open & Closed Style



Open Style
Easy access
to items



Closed Style
Ideal for storing small
or loose items

8 Durable Finish

Painted with a tough, long lasting epoxy finish.



#### **Available Colors**






## **Q-Line Options**

### **Post Options**



**Offset Angle Posts** are used for stand-alone units or as rear posts in conjunction with beaded posts in front.



**Standard Beaded Posts** are used as a common front post on long runs of shelving.

Narrow profile offers unobstructed shelf access.



Heavy Beaded Posts are used for heavier load situations as common front post on long runs of shelving. Narrow profile offers unobstructed shelf access.

## **Accessories/Options**



**Perforated Shelves** helps to meet fire codes by allowing sprinkler water to reach all levels.




**Shelf Boxes** feature welded steel construction and a selection of six box sizes.



**Sliding Dividers** can be placed anywhere along shelves for maximum versatility. Includes built-in label holder.



**End Sway Braces** provide rigidity by keeping the shelving unit perfectly square even when heavily loaded.




**Back Sway Braces** maintain the unit's vertical alignment to assure that even the heaviest loads can be safely stored.



**Splice Plates** are used to splice two uprights together.



**Label Holders** provide a way to locate and identify stored items.



**Shelf Dividers** are available in 15 sizes and create custom sized bins.



**Bin Fronts** keep parts from spilling off shelves.





### Bulk

### **Bulk Storage Rack**

Unique Tapered Finger Design
Superior beams lock into the uprights on 2" centers and hold up to 4,150 lbs., when weight is evenly distributed.

2 Reinforced Uprights
Uprights are pre-welded for strength and will support up to 17,000 lbs.

3 **Z-Profile & Channel Beams**Specially formed beams add strength at the front and rear of shelf edges.

Three Decking Options
Choice of corrugated steel, particleboard
or flat wire decking.

Easy Assembly
Bulk storage units go together fast and easy. Beams simply slide into place.

6 Various Sizes Available
Construct units from four widths,
four depths and seven heights.

**Durable Finish**Painted with a tough, long lasting epoxy finish.





### L&T Boltless Shelving



**1** Unique Construction

Intuitive design allows for endless expansion. Add sections to an existing installation by using "T" uprights as common center posts and finish with "L" uprights.

- 2 Easy, Snap-Together Assembly
  Unique design offers time saving snap-together assembly.
  A rubber mallet is required to secure supports.
- 3 Double Entry Access
  Grants access to items from the front or back of the shelving unit.
- 4 Multiple Shelf Options
  Offerings include thin line and heavy duty
  with or without dividers.
- 5 Adjustable Shelves
  Shelves are adjustable in 1 1/2" increments to create custom openings.
- 6 Customize Your Shelving
  Complete customization with options including dividers and back/end stops.
- Variety of Finished Uprights
  Choice of open uprights or closed uprights.
- 8 Durable Finish
  Painted with a tough, long lasting epoxy finish.







# **L&T Options**

### L&T Accessories



**Reference Shelf** provides a convenient pull-out workspace.



**Shelf Reinforcements** spans from front to back and adds support to deeper shelves.



**Front Base** prevents items from rolling under shelving and provides a finished look.



**Unslotted Center Dividers** keep materials separated on double entry shelves.



**Backs** provide shelving with a finished look. Heavy gauge seismic backs also available.



**Periodical Shelves** are used for displaying media.



**Aisle Ties** add stability to units or ranges by connecting them across the aisle.



**Wall Ties** secure shelving units to the wall for added stability.



**Center Stops/Back Stops** support shelf dividers and keep items where they belong with back stops (single entry) and center stops (double entry).



## **Capstone**

### **Capstone Shelving**

1 Pre-Configured Units

Individual units are available in 76" and 88" heights, 36", 42" and 48" widths while offering 18" and 24" depths.

**2** Clean Line Style

Double wall post construction conceals the keyhole slots for a clean, attractive appearance.

- Ships In One Box For Easy Assembly
  Unique design offers time saving snap-together
  assembly. A rubber mallet is required to secure supports.
- 4 Super Strong Framework
  Steel shoulder rivets, combined with steel uprights
  and shelf supports, offer up to 650 lb. shelf capacity.
- 5 Adjustable Shelves
  Shelves are adjustable in 1 1/2"
  increments to create custom openings.
- 6 Protects Flooring
  Carpet friendly molded Polyethylene feet help prevent damage to flooring.
- **Durable Finish**Painted with a tough, long lasting epoxy finish.



**Available Color** 







# **Commercial Clip**

### ESP Shelving

- 1 Lightweight, Economical, and Durable
  Shelving offers multipurpose use at a reasonable price.
- 2 Ships In One Box
  Complete shelving unit ships in one box
  for simple shipping and assembly.
- Flanged Shelves

  Multiple-bend flanges with lapped and welded corners support up to 250 lbs. per shelf, with weight evenly distributed.
- 4 Convenient Adjustablity
  Compression clips make adding and adjusting shelves a simple and convenient process.
- 5 Variety of Depths

  Available in three depths to suit any application.
- 6 Choice of Open or Closed Unit
  Open style units provide convenient access and
  complete visibilty of contents, while closed style
  units keep contents from falling off of shelves.



Closed Style
Ideal for storing small
or loose items



Open Style
Easy access
to items

**Durable Finish**Painted with a tough, long lasting epoxy finish.



**Available Color** 



### **Decorative**

## Regal Shelving

**1** Double Wall Posts

Double wall post construction conceals the keyhole slots for a clean, attractive appearance.

2 Easy, Tool-Free Assembly
Unique design offers time saving snap-together assembly
without tools. A rubber mallet is required to secure supports.

- Pre-Configured Units
  Individual units are 76" high x 36" wide x 18" deep.
- 4 Adjustable Shelves
  Shelves are adjustable in 1 1/2" increments to create custom openings for books, binders, supplies and more.
- 5 Obstacle-Free Access
  Framework requires no nuts, bolts or sway braces offering obstacle-free access from all sides.
- 6 Protect Your Flooring
  Carpet friendly molded Polyethylene feet protect your flooring.
- Vood grained, laminate board provides a clean and professional appearance.
- 8 Durable, Attractive Finish Powder-coated durable finish.



## **Boltless**

## Stur-D-Stor (TM) Shelving

- 1 Shelving Unit Ships In One Box
  All supports and shelf levels ship in the same box for convenience and simplicity.
- 2 Horizontal or Vertical Configuration
  Can be configured in horizontal or vertical format.




- 3 Industrial Grade Particleboard Decking
  Solid shelves prevent items from slipping
  or snagging and holds up to 1,000 lbs. per
  shelf, with weight evenly distributed.
- 4 Assembles In Minutes
  Unique design offers time saving snap-together
  assembly. A rubber mallet is required to secure supports.
- 5 Protective Post Caps/Feet
  Eight nylon caps included for protection from sharp
  edges or to keep from damaging floor and carpet.
- 6 Durable Finish
  Painted with a tough, long lasting epoxy finish.



**Available Color** 



(SND)





Customer Service: (866) 446-8686 • www.tennsco.com • customerservice@tennsco.com

